



Compass

2016 Caravan Range

corona rallye



backed by
10 YEAR
water ingress
& body integrity
warranty

SOLID



Compass



corona



NEW Model



Model On-the-Road Price*

Number of Berths
Wheel Rim
Tyre Size
Tyre Pressure at MTPLM in psi

Interior Length
Exterior Body Length
Shipping Length
Overall Width
Overall Height
Overall Height excluding TV Aerial
Maximum Headroom
Interior Width
Porch Awning Height
Awning Sizes Ground to Ground
Maximum Hitch Weight
Mass in Running Order
Optional Equipment Payload
Maximum User Payload
Plated M.T.P.L.M
Maximum M.T.P.L.M

Front Mattress Sizes


Side Dinette Mattress Sizes

Rear Mattress Sizes

| | 462 £17,594 | 554 £19,094 | 566 £19,944 | 574 £19,044 | 576 £19,294 |
|---|--|---|---|--|--|
| Number of Berths | 2 | 4 | 6 | 4 | 6 |
| Wheel Rim | 5½Jx14 5x112 | 5½Jx14 5x112 | 5½Jx14 5x112 | 5½Jx14 5x112 | 5½Jx14 5x112 |
| Tyre Size | 185 R14 104 | 185 R14 104 | 185 R14 104 | 185 R14 104 | 185 R14 104 |
| Tyre Pressure at MTPLM in psi | Downrate 48/ Standard 48 / Uprate 49 | Downrate 54/ Standard 56 / Uprate 59 | Downrate 57/ Standard 59 / Uprate 61 | Downrate 54/ Standard 56 / Uprate 59 | Downrate 55/ Standard 58 / Uprate 61 |
| Interior Length | 4660mm / 15'3" | 5750mm / 18'10" | 5700mm / 18'8" | 5720mm / 18'9" | 5720mm / 18'9" |
| Exterior Body Length | 5240mm / 17'2" | 6335mm / 20'9" | 6240mm / 20'6" | 6260mm / 20'6" | 6260mm / 20'6" |
| Shipping Length | 6300mm / 20'8" | 7400mm / 24'3" | 7280mm / 23'11" | 7300mm / 23'11" | 7300mm / 23'11" |
| Overall Width | 2260mm / 7'5" | 2260mm / 7'5" | 2260mm / 7'5" | 2260mm / 7'5" | 2260mm / 7'5" |
| Overall Height | 2645mm / 8'8" | 2645mm / 8'8" | 2645mm / 8'8" | 2645mm / 8'8" | 2645mm / 8'8" |
| Overall Height excluding TV Aerial | 2560mm / 8'5" | 2560mm / 8'5" | 2560mm / 8'5" | 2560mm / 8'5" | 2560mm / 8'5" |
| Maximum Headroom | 1950mm / 6'5" | 1950mm / 6'5" | 1950mm / 6'5" | 1950mm / 6'5" | 1950mm / 6'5" |
| Interior Width | 2120mm / 6'11" | 2120mm / 6'11" | 2120mm / 6'11" | 2120mm / 6'11" | 2120mm / 6'11" |
| Porch Awning Height | 2430mm / 8'0" | 2430mm / 8'0" | 2430mm / 8'0" | 2430mm / 8'0" | 2430mm / 8'0" |
| Awning Sizes Ground to Ground | 9600mm / 31'6" | 10300mm / 33'10" | 10200mm / 33'6" | 10200mm / 33'6" | 10200mm / 33'6" |
| Maximum Hitch Weight | 100kgs / 1.97cwt | 100kgs / 1.97cwt | 100kgs / 1.97cwt | 100kgs / 1.97cwt | 100kgs / 1.97cwt |
| Mass in Running Order | 1112kgs / 21.89cwt | 1294kgs / 25.47cwt | 1341kgs / 26.40cwt | 1296kgs / 25.51cwt | 1307kgs / 25.73cwt |
| Optional Equipment Payload | 0 | 0 | 0 | 0 | 0 |
| Maximum User Payload | 122kgs / 2.40cwt | 153kgs / 3.01cwt | 173kgs / 3.41cwt | 153kgs / 3.01cwt | 172kgs / 3.39cwt |
| Plated M.T.P.L.M | 1234kgs / 24.29cwt | 1447kgs / 28.48cwt | 1514kgs / 29.80cwt | 1448kgs / 28.50cwt | 1479kgs / 29.11cwt |
| Maximum M.T.P.L.M | 1300kgs / 25.59cwt | 1500kgs / 29.53cwt | 1550kgs / 30.51cwt | 1500kgs / 29.53cwt | 1550kgs / 30.51cwt |
| Front Mattress Sizes | 2 x Single 680mm x 1790mm 2'3" x 5'10" OR 1 x Double 1420mm x 1992mm 4'8" x 6'6" | 1 x Double 1100mm x 1992mm 3'7" x 6'6" | 1 x Double 1300mm x 1992mm 4'3" x 6'6" | 1 x Double 1115mm x 1992mm 3'8" x 6'6" | 2 x Single 680mm x 1860mm 2'3" x 6'1" OR 1 x Double 1490mm x 1992mm 4'11" x 6'6" |
| Side Dinette Mattress Sizes | N/A | N/A | N/A | N/A | 1 x Double 1150mm x 1820mm 3'9" x 6'0" |
| Rear Mattress Sizes | N/A | Fixed Rear Double 1350mm x 1900mm 4'5" x 6'3" | 2 x Single 740mm x 1780mm 2'5" x 5'10" OR 1 x Double 1380mm x 1970mm 4'6" x 6'6" 2 x Lift Up Bunk 540mm x 1590mm 1'9" x 5'3" | 1 x Single Bed 1950mm x 650mm 6'5" x 2'2" 1 x Single Bed 1880mm x 690mm 6'2" x 2'3" | 2 x Fixed Bunks 1820mm x 600mm 6'0" x 2'0" |

*OTR price includes delivery charge of RRP £495.

rallye



NEW Model



530
£21,894

540
£21,894

550
£22,294

554
£22,294

574
£22,294

636
£25,894

644
£25,894

3 ⚙️
5½Jx14 5x112
185 R14 104
Downrate 55/
Standard 57 /
Uprate 59
5510mm / 18'1"
6020mm / 19'9"
7120mm / 23'4"
2260mm / 7'5"
2650mm / 8'8"
2560mm / 8'5"
1950mm / 6'5"
2120mm / 6'11"
2430mm / 8'00"
10000mm / 32'10"
100kgs / 1.97cwt
1330kgs / 26.18cwt
0
140kgs / 2.76cwt
1470kgs / 28.94cwt
1500kgs / 29.53cwt

4
5½Jx14 5x112
185 R14 104
Downrate 57/
Standard 60 /
Uprate 61
5680mm / 18'8"
6200mm / 20'4"
7300mm / 23'11"
2260mm / 7'5"
2650mm / 8'8"
2560mm / 8'5"
1950mm / 6'5"
2120mm / 6'11"
2430mm / 8'00"
10200mm / 33'6"
100kgs / 1.97cwt
1365kgs / 26.87cwt
0
152kgs / 2.99cwt
1517kgs / 29.86cwt
1550kgs / 30.51cwt

4
5½Jx14 5x112
185 R14 104
Downrate 56/
Standard 58 /
Uprate 59
5780mm / 19'0"
6300mm / 20'8"
7400mm / 24'3"
2260mm / 7'5"
2650mm / 8'8"
2560mm / 8'5"
1950mm / 6'5"
2120mm / 6'11"
2430mm / 8'00"
10300mm / 33'10"
100kgs / 1.97cwt
1333kgs / 26.24cwt
0
153kgs / 3.01cwt
1486kgs / 29.25cwt
1500kgs / 29.53cwt

4
5½Jx14 5x112
185 R14 104
Downrate 57/
Standard 60 /
Uprate 61
5750mm / 18'10"
6250mm / 20'6"
7350mm / 24'1"
2260mm / 7'5"
2650mm / 8'8"
2560mm / 8'5"
1950mm / 6'5"
2120mm / 6'11"
2430mm / 8'00"
10250mm / 33'8"
100kgs / 1.97cwt
1368kgs / 26.93cwt
0
153kgs / 3.01cwt
1521kgs / 29.94cwt
1550kgs / 30.51cwt

4
5½Jx14 5x112
185 R14 104
Downrate 57/
Standard 60 /
Uprate 61
5590mm / 18'4"
6100mm / 20'0"
7200mm / 23'7"
2260mm / 7'5"
2650mm / 8'8"
2560mm / 8'5"
1950mm / 6'5"
2120mm / 6'11"
2430mm / 8'00"
10100mm / 33'2"
100kgs / 1.97cwt
1360kgs / 26.77cwt
0
151kgs / 2.97cwt
1511kgs / 29.74cwt
1550kgs / 30.51cwt

6
5½Jx14 5x112
175/65 R14 90
Downrate 43/
Standard 43 /
Uprate 43
6340mm / 20'10"
6900mm / 22'8"
7960mm / 26'1"
2300mm / 7'7"
2635mm / 8'8"
2550mm / 8'4"
1950mm / 6'5"
2170mm / 7'1"
2420mm / 7'11"
10800mm / 35'5"
100kgs / 1.97cwt
1583kgs / 31.16cwt
0
179kgs / 3.52cwt
1762kgs / 34.68cwt
1900kgs / 37.40cwt

4
5½Jx14 5x112
175/65 R14 90
Downrate 43/
Standard 43 /
Uprate 56
6340mm / 20'10"
6900mm / 22'8"
7960mm / 26'1"
2300mm / 7'7"
2635mm / 8'8"
2550mm / 8'4"
1950mm / 6'5"
2170mm / 7'1"
2420mm / 7'11"
10800mm / 35'5"
100kgs / 1.97cwt
1566kgs / 30.83cwt
0
159kgs / 3.13cwt
1725kgs / 33.96cwt
1800kgs / 35.43cwt

2 x Single
680mm x 1880mm
2'3" x 6'2" **OR**
1 x Double
1500mm x 1992mm
4'11" x 6'6"

1 x Double
1200mm x 1992mm
3'11" x 6'6"

1 x Double
1127mm x 1992mm
3'8" x 6'6"

1 x Double
1127mm x 1992mm
3'8" x 6'6"

1 x Double
1127mm x 1992mm
3'8" x 6'6"

2 x Single
680mm x 1800mm
2'3" x 5'11" **OR**
1 x Double
1430mm x 2030mm
4'8" x 6'8"

1 x Double
1370mm x 2030mm
4'6" x 6'8"

1 x Single
1000mm x 1810mm
3'3" x 5'11" ⚙️ Optional
4th berth lift-up bunk

N/A

N/A

N/A

N/A

1 x Double
1146mm x 1810mm
3'9" x 5'11"

N/A

N/A

Fixed Double
1260mm x 1900mm
4'2" x 6'3"

Fixed Double
1350mm x 1900mm
4'5" x 6'3"

Fixed Double
1350mm x 1900mm
4'5" x 6'3"

2 x Fixed Single
690mm x 1845mm
2'3" x 6'1"

2 x Fixed Bunks
600mm x 1830mm
2'0" x 6'0"

Fixed Double
1350mm x 1900mm
4'5" x 6'3"

Make your Compass caravan even more special with our **fabulous new range** of options and accessories.



Compass

corona

| | |
|--|-------------|
| Weight plate upgrade** | FOC |
| Wraparound front seating† | £199 |
| Fiamma universal bike rack - 2 bikes | £349 |
| Co-ordinated fixed bed cover set | £249 |
| Alternative Aquaclean soft furnishings | £249 |
| AL-KO secure wheel lock | £225 |
| Phantom tracker | £499 |
| Omnivent in lieu of 400mm rooflight | £179 |
| 230V socket and access locker door | £65 |
| External gas barbecue point | £99 |
| Alarm system | £299 |
| Additional shelf pack# | £39 |

rallye

| | |
|---|---------------|
| Weight plate upgrade** | FOC |
| Wraparound front seating† | £199 |
| Fiamma universal bike rack - 2 bikes | £349 |
| Alternative soft furnishings | £249 |
| Co-ordinated fixed bed cover set | £249 |
| 4th Berth Lift-Up Bunk option (530 only) | £299 |
| Teleco self seeking satellite dish# | £1,499 |
| Truma Air conditioning (in lieu of Omnivent)# | £1,299 |
| Additional shelf pack# | £39 |

**At point of order

†Customer retains chest of drawers

#Dealer fit items

Note 1: The Mass in Running Order includes a manufacturing tolerance for material variances and 10kgs per gas bottle, the number of bottles is equal to the number of connections provided at the regulator.

Note 2: Maximum User Payload includes the Personal Effects Payload and the Optional Equipment Payload.

Note 3: If you require a larger payload it is possible to upgrade the Plated Maximum Technical Permissible Laden Mass. Please contact your supplying retailer for more information.

Note 4: If you wish to reduce your caravans Plated Maximum Technical Permissible Laden Mass this is possible but it will be by 50kgs and will reduce your User Payload.

Note 5: Please take care to ensure that you have allowed for the masses of all items you intend to carry in the caravan.

Note 6: Warning under no circumstances must the plated MTPLM of the caravan be exceeded.

Note 7: The internal length is measured at 320mm above the floor level.

Note 8: All front bed sizes are quoted with wrap round seating

Note 9: The porch awning height is measured directly above the main entrance door

Note 10: All data is calculated using metric weights and measurements. The imperial figures quoted are conversions thereof.

Note 11: All dimensions have a tolerance of +/-25mm

Note 12: The overall height measurement is taken with the aerial in the lowest position.

Find your nearest dealer at www.elddis.co.uk

