



2026 Touring Caravan Range

# Inspiring travel since 1964

## WELCOME TO ELDDIS

### Driven by Heritage, Designed for the Future

Back in the early 1960s, Siddle Cook, along with his wife Mary and son Raymond, set out to improve the touring caravan experience after years of family adventures. From their workshop in Consett, County Durham, they launched their first models — the Whirlwind and Tornado — under a new name created from Siddle's own: Eddis (his name spelled backwards!). The Whirlwind, in particular, struck a chord with holidaymakers, helping to establish Eddis as a trusted household name across the UK.

Now, the Whirlwind returns — redesigned and reimagined for a new generation of caravanners. The all-new Whirlwind range captures the spirit of the original while delivering unbeatable value and modern specification. And for those seeking even more comfort, the Whirlwind Evolve takes things a step further with upgraded features and added tech.

Today, Eddis continues to innovate and inspire, proudly building every caravan at our state-of-the-art facility in County Durham — the same location where it all began. Now part of the Erwin Hymer Group, and in turn THOR Industries Inc., we remain a proudly British manufacturer backed by the strength of the World's largest leisure vehicle group.

This year's lineup showcases the diversity and depth of our offering, designed for every kind of caravanner:

**Whirlwind** – entry-level value, cleverly reimagined

**Whirlwind Evolve** – added comfort and spec, still great value

**Avante Apex** – our best-seller, elevated with high-end design and features


**Crusader** – the ultimate in luxury touring, now with more layouts than ever

Whether you're heading off on a well-planned family getaway or setting out on a spontaneous weekend escape, your Eddis caravan will be a reliable and stylish companion — instantly recognisable for its cutting-edge design and proud heritage.

#### Table of contents

|                    |    |
|--------------------|----|
| History of Eddis   | 3  |
| Eddis Spotlight    | 4  |
| - Whirlwind        | 8  |
| - Whirlwind Evolve | 20 |
| - Avante APEX      | 26 |
| - Crusader         | 38 |
| Suppliers          | 50 |





## BUILT FOR TODAY. DESIGNED FOR TOMORROW.

Six decades of design expertise, innovation and customer insight have brought Elddis to where it is today — one of the UK's best-selling caravan brands.

Our 2026 range reflects everything we've learned from real caravanners: practical layouts, user-friendly features, and clever design that makes holidays effortless and enjoyable.

Whether you're heading off on your first family break or are a seasoned tourer, Elddis is the trusted name behind your adventures.

## STYLE, COMFORT AND CHOICE

We design our interiors to feel like home — stylish, comfortable, and built to last.

From supportive seating and premium fabric choices to craftsman-built cabinetry, every Elddis feels like a home-from-home.

Whether you prefer timeless elegance or modern minimalism, there's a look to suit every lifestyle.

## ICONIC STYLE MEETS EVERYDAY PRACTICALITY

Elddis caravans are designed to stand out — not just in looks, but in performance.

Lightweight construction supports better fuel economy when towing, while LED lighting and high-efficiency heating systems reduce energy use and improve year-round comfort.

Every model meets Grade III thermal insulation standards, so you can enjoy warm winter getaways and cool summer breaks.

## EXTENSIVE RANGE. EXCEPTIONAL LAYOUTS.

From 2, 4, and 6-berth models to standard-width and 8ft-wide options, our range offers unmatched flexibility.

So whether you're a solo traveller, couple, or touring with the whole family, there's an Elddis layout made just for you.

## SMARTER WALLS, SEAMLESS COMFORT

Every Elddis caravan now features HaloTEC interior walls.

Manufactured by RENOLIT using their advanced CORK-STOCK technology, this seamless material is water-resistant, UV-resistant, lightweight, and ultra-durable — giving your caravan a sleek, modern look with long-lasting performance to match.

Inside, our walls are completely seam-free and wipe-clean, too!

## PEACE OF MIND, BUILT IN

Every Elddis caravan comes backed by our class-leading warranty package — with a 3-Year manufacturer's warranty and a 10-Year water ingress and body integrity guarantee.

Designed for lasting enjoyment and total confidence, wherever the road takes you.



## Exceptional Value Whirlwind

6 Models | 2 - 6 Berth | Single & Twin Axles

Elddis' all-new entry-level range — built for unbeatable value and mass appeal. The Whirlwind reinvents Elddis' approach to the market with clean design, smart functionality, and practical layouts designed for couples and families alike.

### Key features:

- Whale heating system
- Standard width & 8ft-wide models available
- Bike bar as standard on all models
- Minimalist exterior graphic with neutral and accent tones
- Whirlwind badging
- Light upholstery for enhanced sense of space
- Elddis light wood interior
- Contemporary multicolour cushions throughout range
- Simple, modern single-colour graphic
- Practical materials for durability with a welcoming touch



## Touring Excellence Whirlwind Evolve

6 Models | 2 - 6 Berth | Single & Twin Axles

The Whirlwind Evolve takes the great-value foundation of the standard Whirlwind range and adds an impressive bundle of premium touring features for even greater comfort and capability.

### Upgrade Package Includes:

- Omnivent
- AL KO Wheel Locks
- Solar Panel
- Alarm system
- Wi Fi
- External sockets
- BBQ point
- External shower

**Whirlwind  
EVOLVE**



## Refined and Upgraded Avante APEX

6 Models | 2 - 6 Berth | Single & Twin Axles

Elddis' best-selling range - The Avante Apex brings advanced features and design improvements across all layouts, delivering a more luxurious touring experience while staying true to its trusted heritage.

### Key features:

- Whale heating system
- Standard width & 8ft-wide models available
- Solar panel
- External cold water shower
- BBQ point
- Stargazer roof light (roof upgrade)
- Omnivent
- Wi Fi and alarm system
- Tracker and AL KO wheel lock
- Offside service light
- Heavy-duty corner steadies
- TV brackets (excl. 520 & 860)
- Pleated blinds, Hollywood mirror, Backlit headboard
- Diamond silver sides and silver graphic scheme with refined branding visuals



## Ultimate Luxury Crusader

8 Models | 2 - 6 Berth | Single & Twin Axles

The Elddis Crusader range represents the epitome of luxury in touring caravans. Now expanded with three additional models: Hurricane, Solano, and Shamal. The Crusader offers a diverse selection of single-axle standard width, single-axle 8ft-wide, and twin-axle 8ft-wide layouts.

### Key features:

- ALDE Central Heating System
- Solar Panel
- Wi-Fi Enabled
- TV Bracket & Preparation\*
- Single-axle Standard Width
- Single-axle 8ft Wide
- Twin-axle 8ft Wide
- AL-KO Wheel Locks
- Tracker System
- Heavy Duty Corner Steadies
- Offside Service Light
- Light Wood Finish
- Contemporary Soft Furnishings
- Enhanced Lighting
- New Crusader Branding

\*TV bracket not included on Hurricane & Zephyr

# Whirlwind

## EXCEPTIONAL VALUE

**6 Models | Standard Width | 8ft Wide**

Introducing the all-new Elddis Whirlwind range, designed to deliver exceptional value without compromising on quality. Built on the popular existing layouts (520, 550, 554, 840, 860, 868), the Whirlwind offers a simplified yet modern exterior with minimalist design using a neutral base (gray, white, black) with a bold red accent stripe and Whirlwind badging.

Inside, light wood tones and contemporary multi-colour cushions create a spacious and inviting atmosphere. Standard features include Whale heating, and bike racks on all vehicles.

The Whirlwind range repositions Elddis as a leader in value-packed caravans, perfect for couples and families embarking on the touring lifestyle.



## WHIRLWIND RANGE HIGHLIGHTS:

### ELDDIS WHIRLWIND – BRILLIANT VALUE, BEST-SELLING LAYOUTS

The all-new Elddis Whirlwind range has been crafted to deliver maximum value without compromise. Built on Elddis' most popular layouts, Whirlwind brings together clever design, light and airy interiors, and essential touring features—all at a highly competitive price point.

Ideal for first-time buyers and families alike, the Whirlwind focuses on simplicity, practicality, and comfort, offering an affordable gateway into the world of caravanning. With stylish light wood finishes, bright upholstery, and wide-body options available, this range proves that budget-friendly doesn't mean basic.

Whether you're heading out for a weekend break or a longer touring adventure, Whirlwind gives you everything you need to make the most of your time away.

### WHIRLWIND HIGHLIGHTS

- **Exceptional value** with no compromise on core features
- **Best-selling Elddis layouts** in a fresh new finish
- **8ft-wide models available** for extra space and comfort
- **Bright, light interior** with modern upholstery and cabinetry
- **Minimalist exterior graphics** and Whirlwind badging for a clean, modern look
- **Bike rack fitted as standard** on all models
- **Whale heating system** for efficient all-season touring
- **Spacious, family-friendly designs** ideal for newcomers and seasoned caravanners alike

Inspiring travel  
since 1964



# INTERIOR DESIGN



Designed specifically for the recreational vehicle market, ActiCare fabric has been developed to not only provide supreme style and comfort but also to withstand the rigours associated with RV life.

Developed and tested for water tightness, colour fastness, bleach tolerance and other substances, the material is 'easy clean' which can be felt when you run your hand over the fabric.




| Whirlwind                          | 520                        | 550                        | 554                        | 840                        | 860                        | 868                        |
|------------------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
|                                    |                            |                            |                            |                            |                            |                            |
| Berths                             |                            |                            |                            |                            |                            |                            |
| Axles                              | <br>Single Axle            | <br>Single Axle            | <br>Single Axle            | <br>Twin Axle              | <br>Twin Axle              | <br>Twin Axle              |
| <b>Weights &amp; Dimensions</b>    |                            |                            |                            |                            |                            |                            |
| Exterior body length               | 5.58m / 18'4"              | 6.35m / 20'10"             | 6.35m / 20'10"             | 6.96m / 22'10"             | 6.96m / 22'10"             | 6.96m / 22'10"             |
| Shipping length                    | 6.69m / 22'0"              | 7.47m / 24'6"              | 7.47m / 24'6"              | 8.18m / 26'10"             | 8.18m / 26'10"             | 8.18m / 26'10"             |
| Interior length                    | 5.00m / 16'5"              | 5.77m / 19'0"              | 5.77m / 19'0"              | 6.39m / 21'0"              | 6.39m / 21'0"              | 6.39m / 21'0"              |
| Overall width                      | 2.23m / 7'4"               | 2.23m / 7'4"               | 2.23m / 7'4"               | 2.43m / 8'0"               | 2.43m / 8'0"               | 2.43m / 8'0"               |
| Interior width                     | 2.11m / 6'11"              | 2.11m / 6'11"              | 2.11m / 6'11"              | 2.30m / 7'7"               | 2.30m / 7'7"               | 2.30m / 7'7"               |
| Overall height                     | 2.67m / 8'9"               | 2.68m / 8'10"              | 2.68m / 8'10"              | 2.63m / 8'8"               | 2.63m / 8'8"               | 2.63m / 8'8"               |
| Overall height excluding TV aerial | 2.60m / 8'7"               | 2.62m / 8'7"               | 2.62m / 8'7"               | 2.57m / 8'5"               | 2.57m / 8'5"               | 2.57m / 8'5"               |
| Maximum headroom                   | 1.97m / 6'6"               |
| Porch awning height                | 2.47m / 8'1"               | 2.47m / 8'1"               | 2.47m / 8'1"               | 2.42m / 7'11"              | 2.42m / 7'11"              | 2.42m / 7'11"              |
| Awning sizes ground to ground      | 9.58m / 31'5"              | 10.35m / 33'11"            | 10.38m / 34'1"             | 10.90m / 35'9"             | 10.90m / 35'9"             | 10.90m / 35'9"             |
| Plated M.T.P.L.M                   | 1340KG                     | 1440KG                     | 1470KG                     | 1748KG                     | 1710KG                     | 1745KG                     |
| Maximum M.T.P.L.M                  | 1500KG                     | 1550KG                     | 1550KG                     | 2000KG                     | 2000KG                     | 2000KG                     |
| Maximum Hitch Weight               | 100KG                      | 100KG                      | 100KG                      | 150KG                      | 150KG                      | 150KG                      |
| Mass in Running Order (MIRO)       | 1214KG                     | 1286KG                     | 1316KG                     | 1568KG                     | 1550KG                     | 1565KG                     |
| Optional Equipment Payload         | 142KG                      | 91KG                       | 60KG                       | 228KG                      | 267KG                      | 232KG                      |
| Maximum User Payload               | 126KG                      | 154KG                      | 154KG                      | 180KG                      | 160KG                      | 180KG                      |
| <b>Wheels &amp; Tyres</b>          |                            |                            |                            |                            |                            |                            |
| Wheel Rim                          | 5½Jx14 5x112               |
| Tyre Size                          | 185 R14 104                | 185 R14 104                | 185 R14 104                | 175/65 R14 90              | 175/65 R14 90              | 175/65 R14 90              |
| <b>Bed Sizes</b>                   |                            |                            |                            |                            |                            |                            |
| Front double                       | 2.08m x 1.43m 6'10" x 4'8" | 2.08m x 1.11m 6'10" x 3'8" | 2.08m x 1.11m 6'10" x 3'8" | 2.12m x 1.43m 6'11" x 4'8" | 2.12m x 1.43m 6'11" x 4'8" | 2.12m x 1.43m 6'11" x 4'8" |
| Front 2 singles                    | 1.83m x 7.20m 6'0" x 24'   | -                          | -                          | 1.83m x 0.72m 6'0" x 2'4"  | 1.83m x 0.72m 6'0" x 2'4"  | 1.803m x 0.72m 6'0" x 2'4" |
| Side dinette single                | -                          | -                          | -                          | 1.90m x 1.28m 6'3" x 4'2"  | -                          | -                          |
| Drop down bunk                     | -                          | -                          | -                          | -                          | -                          | -                          |
| Rear double                        | -                          | 1.90m x 1.34m 6'3" x 4'5"  | 1.83m x 1.34m 6'0" x 4'5"  | 1.88m x 1.30m 6'2" x 4'3"  | 1.83m x 1.34m 6'0" x 4'5"  | 1.90m x 1.19m 6'3" x 3'11" |
| 2 Single bunks                     | -                          | -                          | -                          | -                          | -                          | 1.91m x 0.59m 6'3" x 1'11" |

Whirlwind  
520



Single-Axle  
2 Berth  
6.69m / 22'0"  
2.23m / 7'4"

Whirlwind  
550




Single-Axle  
4 Berth  
7.47m / 24'6"  
2.23m / 7'4"

Whirlwind  
554



Single-Axle  
4 Berth  
6.47m / 24'6"  
2.23m / 7'4"

Whirlwind  
840



Twin-Axle  
6 Berth  
8.18m / 26'10"  
2.43m / 8'0"

Whirlwind  
860



Twin-Axle  
4 Berth  
8.18m / 26'10"  
2.43m / 8'0"

Whirlwind  
868



Twin-Axle  
6 Berth  
8.18m / 26'10"  
2.43m / 8'0"

8FT - WIDE





[elddis.co.uk](http://elddis.co.uk) >

- Prices • Options
- Detailed Specification
- Find My Retailer • Get The Best Deal

# Whirlwind Evolve

## TOURING EXCELLENCE

6 Models | Standard Width | 8ft Wide

The Whirlwind Evolve takes everything that makes the standard Whirlwind range so appealing—its value, smart design, and best-selling layouts—and enhances it with a suite of premium upgrades for the more experienced caravanner.

Designed for those who want added comfort, convenience, and capability from day one, the Evolve specification includes a factory-fitted solar panel for greater off-grid freedom, a Wi-Fi system for better connectivity on the move, and an integrated alarm for added peace of mind. Practical additions like external sockets, a BBQ point, and an outdoor shower extend your living space and lifestyle beyond the caravan walls, while AL-KO wheel locks and the Omnivent roof extractor add a level of touring readiness and comfort that feels anything but entry-level.

The Whirlwind Evolve is the perfect choice for caravanners who want all the essentials plus thoughtful extras—without stepping up into a new price category.



## WHIRLWIND EVOLVE

### WHIRLWIND VS WHIRLWIND EVOLVE – WHAT’S THE DIFFERENCE?

The Whirlwind Evolve takes everything you love about the standard Whirlwind — and adds a carefully curated selection of premium features that enhance touring comfort and convenience. It’s designed for those who want extra capability and refinement, without stepping into a higher price bracket.

### KEY ADDITIONAL FEATURES ON THE WHIRLWIND EVOLVE INCLUDE:

- **Solar Panel** – for off-grid flexibility
- **Wi-Fi System** – for better connectivity wherever you go
- **Alarm System** – extra peace of mind and security
- **AL-KO Secure Wheel Locks** – enhanced safety, included as standard
- **BBQ Point** – quick, easy outdoor cooking
- **Omnivent** – improved airflow while cooking
- **External Sockets** – for outdoor power use
- **External Shower** – ideal for rinsing boots, bikes, pets, or wetsuits

With the Whirlwind, you’re getting an exceptional, well-equipped caravan built for comfort and value.

With the Whirlwind Evolve, you gain all of that plus a premium edge – perfect for longer trips, year-round adventures, or owners who want to start with more.

Whether you choose the Whirlwind or go further with the Evolve, you’ll find both ranges deliver on Eddis’ promise of innovation, craftsmanship, and performance — all backed by our industry-leading warranties.

WHIRLWIND BY NAME. EVOLVED BY NATURE. BUILT FOR LIFE.





| Whirlwind                          | 520                        | 550                        | 554                        | 840                        | 860                        | 868                        |
|------------------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
|                                    |                            |                            |                            |                            |                            |                            |
| Berths                             |                            |                            |                            |                            |                            |                            |
| Axles                              | <br>Single Axle            | <br>Single Axle            | <br>Single Axle            | <br>Twin Axle              | <br>Twin Axle              | <br>Twin Axle              |
| <b>Weights &amp; Dimensions</b>    |                            |                            |                            |                            |                            |                            |
| Exterior body length               | 5.58m / 18'4"              | 6.35m / 20'10"             | 6.35m / 20'10"             | 6.96m / 22'10"             | 6.96m / 22'10"             | 6.96m / 22'10"             |
| Shipping length                    | 6.89m / 22'0"              | 7.47m / 24'6"              | 7.47m / 24'6"              | 8.18m / 26'10"             | 8.18m / 26'10"             | 8.18m / 26'10"             |
| Interior length                    | 5.00m / 16'5"              | 5.77m / 19'0"              | 5.77m / 19'0"              | 6.39m / 21'0"              | 6.39m / 21'0"              | 6.39m / 21'0"              |
| Overall width                      | 2.23m / 7'4"               | 2.23m / 7'4"               | 2.23m / 7'4"               | 2.43m / 8'0"               | 2.43m / 8'0"               | 2.43m / 8'0"               |
| Interior width                     | 2.11m / 6'11"              | 2.11m / 6'11"              | 2.11m / 6'11"              | 2.30m / 7'7"               | 2.30m / 7'7"               | 2.30m / 7'7"               |
| Overall height                     | 2.67m / 8'9"               | 2.68m / 8'10"              | 2.68m / 8'10"              | 2.63m / 8'8"               | 2.63m / 8'8"               | 2.63m / 8'8"               |
| Overall height excluding TV aerial | 2.60m / 8'7"               | 2.62m / 8'7"               | 2.62m / 8'7"               | 2.57m / 8'5"               | 2.57m / 8'5"               | 2.57m / 8'5"               |
| Maximum headroom                   | 1.97m / 6'6"               |
| Porch awning height                | 2.47m / 8'1"               | 2.47m / 8'1"               | 2.47m / 8'1"               | 2.42m / 7'11"              | 2.42m / 7'11"              | 2.42m / 7'11"              |
| Awning sizes ground to ground      | 9.58m / 31'5"              | 10.35m / 33'11"            | 10.38m / 34'1"             | 10.90m / 35'9"             | 10.90m / 35'9"             | 10.90m / 35'9"             |
| Plated M.T.P.L.M                   | 1355KG                     | 1455KG                     | 1485KG                     | 1766KG                     | 1728KG                     | 1763KG                     |
| Maximum M.T.P.L.M                  | 1500KG                     | 1550KG                     | 1550KG                     | 2000KG                     | 2000KG                     | 2000KG                     |
| Maximum Hitch Weight               | 100KG                      | 100KG                      | 100KG                      | 150KG                      | 150KG                      | 150KG                      |
| Mass in Running Order (MIRO)       | 1229KG                     | 1301KG                     | 1331KG                     | 1586KG                     | 1568KG                     | 1583KG                     |
| Optional Equipment Payload         | 127KG                      | 75KG                       | 45KG                       | 210KG                      | 248KG                      | 213KG                      |
| Maximum User Payload               | 126KG                      | 154KG                      | 154KG                      | 180KG                      | 160KG                      | 180KG                      |
| <b>Wheels &amp; Tyres</b>          |                            |                            |                            |                            |                            |                            |
| Wheel Rim                          | 5½Jx14 5x112               |
| Tyre Size                          | 185 R14 104                | 185 R14 104                | 185 R14 104                | 175/65 R14 90              | 175/65 R14 90              | 175/65 R14 90              |
| <b>Bed Sizes</b>                   |                            |                            |                            |                            |                            |                            |
| Front double                       | 2.08m x 1.43m 6'10" x 4'8" | 2.08m x 1.11m 6'10" x 3'8" | 2.08m x 1.11m 6'10" x 3'8" | 2.12m x 1.43m 6'11" x 4'8" | 2.12m x 1.43m 6'11" x 4'8" | 2.12m x 1.43m 6'11" x 4'8" |
| Front 2 singles                    | 1.83m x 7.20m 6'0" x 24'   | -                          | -                          | 1.83m x 0.72m 6'0" x 2'4"  | 1.83m x 0.72m 6'0" x 2'4"  | 1.803m x 0.72m 6'0" x 2'4" |
| Side dinette single                | -                          | -                          | -                          | 1.90m x 1.28m 6'3" x 4'2"  | -                          | -                          |
| Drop down bunk                     | -                          | -                          | -                          | -                          | -                          | -                          |
| Rear double                        | -                          | 1.90m x 1.34m 6'3" x 4'5"  | 1.83m x 1.34m 6'0" x 4'5"  | 1.88m x 1.30m 6'2" x 4'3"  | 1.83m x 1.34m 6'0" x 4'5"  | 1.90m x 1.19m 6'3" x 3'11" |
| 2 Single bunks                     | -                          | -                          | -                          | -                          | -                          | 1.91m x 0.59m 6'3" x 1'11" |

# Avante APEX

## REFINED AND UPGRADED

6 Models | Standard Width | 8ft Wide

The Elddis Avante APEX range elevates the best-selling Avante series with a host of premium enhancements. Available in all our best-selling layouts: 520, 550, 554, 840, 860, and 868, the Avante APEX models boast improved Silver graphics, Diamond silver sides, and contemporary monochromatic interiors.

Standard features include Whale heating, external sockets, solar panels, BBQ points, Stargazer roof lights, Omnivent, outdoor cold water shower, offside service light, heavy-duty corner steadies, alarm system, Tracker, AL-KO wheel lock, Wi-Fi, pleated blinds, Hollywood mirror, backlit headboard, logo pack, and TV brackets (excluding 520 & 860).

The Avante APEX is quintessentially Elddis, offering brilliant additions to elevate this firm favourite.



## AVANTE APEX RANGE HIGHLIGHTS:

### THE ALL-NEW AVANTE APEX IS THE NEXT EVOLUTION OF ELDDIS' MOST POPULAR CARAVAN RANGE.

Retaining the core practicality and reliability that Avante is known for, the APEX edition introduces a refined palette of aesthetic, comfort, and specification upgrades.

From the striking Diamond Silver sides and upgraded Black-Silver graphics to the enhanced interior finishes and upgraded tech features, every detail of the APEX has been crafted to deliver a superior touring experience. It blends affordability with luxury touches, making it ideal for caravanners who want a premium experience without stepping up to the top-end ranges.

With 8ft-wide models available, contemporary furnishings, and advanced features like a solar panel, external shower, and Stargazer rooflight, the Apex sets a new benchmark in mid-range touring.

# AVANTE APEX SERIES



## AVANTE APEX HIGHLIGHTS

- Based on the **best-selling Elddis Avante layouts**
- **Striking Diamond Silver sides** with upgraded exterior graphics
- **Whale heating system** for efficient and reliable warmth, all-year round
- **8ft-wide options available** for extra internal space
- **Stargazer rooflight** and upgraded upholstery for a light, modern interior
- **High-spec features as standard:** Solar panel, external BBQ point, Omnivent, external cold water shower, external socket, and service light
- **Tracker, alarm system, and AL-KO wheel lock** for added security
- **Contemporary Monochromatic interior styling** with logo pack and branded furnishings





# INTERIOR DESIGN



Designed specifically for the recreational vehicle market, ActivCare fabric has been developed to not only provide supreme style and comfort but also to withstand the rigours associated with RV life.

Developed and tested for water tightness, colour fastness, bleach tolerance and other substances, the material is 'easy clean' which can be felt when you run your hand over the fabric.




| Avante APEX                        | 520                        | 550                        | 554                        | 840                        | 860                        | 868                        |
|------------------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
|                                    |                            |                            |                            |                            |                            |                            |
| Berths                             |                            |                            |                            |                            |                            |                            |
| Axles                              |                            |                            |                            |                            |                            |                            |
|                                    | Single Axle                | Single Axle                | Single Axle                | Twin Axle                  | Twin Axle                  | Twin Axle                  |
| <b>Weights &amp; Dimensions</b>    |                            |                            |                            |                            |                            |                            |
| Exterior body length               | 5.58m / 18'4"              | 6.35m / 20'10"             | 6.35m / 20'10"             | 6.96m / 22'10"             | 6.96m / 22'10"             | 6.96m / 22'10"             |
| Shipping length                    | 6.69m / 22'0"              | 7.47m / 24'6"              | 7.47m / 24'6"              | 8.18m / 26'10"             | 8.18m / 26'10"             | 8.18m / 26'10"             |
| Interior length                    | 5.00m / 16'5"              | 5.77m / 19'0"              | 5.77m / 19'0"              | 6.39m / 21'0"              | 6.39m / 21'0"              | 6.39m / 21'0"              |
| Overall width                      | 2.23m / 7'4"               | 2.23m / 7'4"               | 2.23m / 7'4"               | 2.43m / 8'0"               | 2.43m / 8'0"               | 2.43m / 8'0"               |
| Interior width                     | 2.11m / 6'11"              | 2.11m / 6'11"              | 2.11m / 6'11"              | 2.30m / 7'7"               | 2.30m / 7'7"               | 2.30m / 7'7"               |
| Overall height                     | 2.67m / 8'9"               | 2.68m / 8'10"              | 2.68m / 8'10"              | 2.63m / 8'8"               | 2.63m / 8'8"               | 2.63m / 8'8"               |
| Overall height excluding TV aerial | 2.60m / 8'7"               | 2.62m / 8'7"               | 2.62m / 8'7"               | 2.57m / 8'5"               | 2.57m / 8'5"               | 2.57m / 8'5"               |
| Maximum headroom                   | 1.97m / 6'6"               |
| Porch awning height                | 2.47m / 8'1"               | 2.47m / 8'1"               | 2.47m / 8'1"               | 2.42m / 7'11"              | 2.42m / 7'11"              | 2.42m / 7'11"              |
| Awning sizes ground to ground      | 9.58m / 31'5"              | 10.35m / 33'11"            | 10.38m / 34'1"             | 10.90m / 35'9"             | 10.90m / 35'9"             | 10.90m / 35'9"             |
| Plated M.T.P.L.M                   | 1372KG                     | 1481KG                     | 1511KG                     | 1790KG                     | 1751KG                     | 1787KG                     |
| Maximum M.T.P.L.M                  | 1500KG                     | 1550KG                     | 1550KG                     | 2000KG                     | 2000KG                     | 2000KG                     |
| Maximum Hitch Weight               | 100KG                      | 100KG                      | 100KG                      | 150KG                      | 150KG                      | 150KG                      |
| Mass in Running Order (MIRO)       | 1246KG                     | 1327KG                     | 1357KG                     | 1610KG                     | 1591KG                     | 1607KG                     |
| Optional Equipment Payload         | 109KG                      | 49KG                       | 19KG                       | 186KG                      | 225KG                      | 189KG                      |
| Maximum User Payload               | 126KG                      | 154KG                      | 154KG                      | 180KG                      | 160KG                      | 180KG                      |
| <b>Wheels &amp; Tyres</b>          |                            |                            |                            |                            |                            |                            |
| Wheel Rim                          | 5½Jx14 5x112               |
| Tyre Size                          | 185 R14 104                | 185 R14 104                | 185 R14 104                | 175/65 R14 90              | 175/65 R14 90              | 175/65 R14 90              |
| <b>Bed Sizes</b>                   |                            |                            |                            |                            |                            |                            |
| Front double                       | 2.08m x 1.43m 6'10" x 4'8" | 2.08m x 1.11m 6'10" x 3'8" | 2.08m x 1.11m 6'10" x 3'8" | 2.12m x 1.43m 6'11" x 4'8" | 2.12m x 1.43m 6'11" x 4'8" | 2.12m x 1.43m 6'11" x 4'8" |
| Front 2 singles                    | 1.83m x 7.20m 6'0" x 2'4"  | -                          | -                          | 1.83m x 0.72m 6'0" x 2'4"  | 1.83m x 0.72m 6'0" x 2'4"  | 1.803m x 0.72m 6'0" x 2'4" |
| Side dinette single                | -                          | -                          | -                          | 1.90m x 1.28m 6'3" x 4'2"  | -                          | -                          |
| Drop down bunk                     | -                          | -                          | -                          | -                          | -                          | -                          |
| Rear double                        | -                          | 1.90m x 1.34m 6'3" x 4'5"  | 1.83m x 1.34m 6'0" x 4'5"  | 1.88m x 1.30m 6'2" x 4'3"  | 1.83m x 1.34m 6'0" x 4'5"  | 1.90m x 1.19m 6'3" x 3'11" |
| 2 Single bunks                     | -                          | -                          | -                          | -                          | -                          | 1.91m x 0.59m 6'3" x 1'11" |

Avante APEX  
520



Single-Axle  
2 Berth  
6.69m / 22'0"  
2.23m / 7'4"

Avante APEX  
550



Single-Axle  
4 Berth  
7.47m / 24'6"  
2.23m / 7'4"

Avante APEX  
554



Single-Axle  
4 Berth  
6.47m / 24'6"  
2.23m / 7'4"

Avante APEX  
840



Twin-Axle  
6 Berth  
8.18m / 26'10"  
2.43m / 8'0"

Avante APEX  
860



Twin-Axle  
4 Berth  
8.18m / 26'10"  
2.43m / 8'0"

Avante APEX  
868



Twin-Axle  
6 Berth  
8.18m / 26'10"  
2.43m / 8'0"


8FT - WIDE





[elddis.co.uk](http://elddis.co.uk) >

- Prices • Options
- Detailed Specification
- Find My Retailer • Get The Best Deal



# Crusader

## ULTIMATE LUXURY

8 Models | Single Axle Standard Width | Single Axle 8ft-Wide | Twin Axle 8ft-Wide

The Elddis Crusader range stands as the epitome of luxury in touring caravans. Now expanded to include three new models—Hurricane, Solano, and Shamal—the Crusader offers a variety of layouts in single-axle standard width, single-axle 8ft-wide, and twin-axle 8ft-wide configurations.

Standard specifications feature ALDE central heating, solar panels, TV brackets (excluding Hurricane & Zephyr), Wi-Fi, AL-KO wheel locks, Tracker, offside service light, and heavy duty corner steadies. The exterior boasts enhanced graphics with a Black and Silver colour scheme and either White or Rembrandt Silver sides (Depending on the layout). Inside, the light wood colour scheme, contemporary larger cushions, and rich fabrics with multi-panelling create an ambiance of sophistication.

Optional upgrades include Leather upholstery and Air Conditioning (twin-axle models only). Aftermarket options include wraparound seating (excluding Borealis), and bike racks.

The Crusader range is designed for those who seek unparalleled comfort and style on their journeys.




## CRUSADER RANGE HIGHLIGHTS:

THE ELDDIS CRUSADER IS THE FLAGSHIP OF THE RANGE, DELIVERING UNCOMPROMISING LUXURY, SOPHISTICATED DESIGN, AND HIGH-END TOURING TECHNOLOGY.

Built for year-round travel, every Crusader comes equipped with ALDE central heating, and superior insulation—perfect for those who tour in all seasons.

The range combines bold exterior styling with refined interior aesthetics, including light coloured wood cabinetry, soft-touch fabrics, and modern, multi-texture upholstery. The newly expanded Crusader line-up includes a wider variety of layouts—including standard-width single axles, 8ft-wide single-axles, and 8ft-wide twin-axles—offering more choice to suit individual touring styles.

Designed for those who demand excellence, the Crusader offers everything you need for a premium home-from-home experience.



## CRUSADER HIGHLIGHTS:

- **Top-of-the-range Eddis caravan** with exceptional comfort and finish
- **ALDE central heating** for true all-season touring
- **New layout options:** Standard-width single-axle and 8ft-wide single & twin-axle models
- **High-spec as standard:** Solar panel, TV bracket, Wi-Fi, AL-KO wheel locks, alarm system, Tracker, and external service light
- **Stylish light wood cabinetry** with contemporary soft furnishings and LED lighting
- **Expanded layout line-up** now includes the Hurricane, Solano, and Shamal
- **Wraparound seating and air conditioning** available as options on selected models
- **Crusader-exclusive design finishes**, including luxury quilted headboards, mood lighting, and larger cushions with rich fabric textures



# INTERIOR DESIGN



Designed specifically for the recreational vehicle market, ActivCare fabric has been developed to not only provide supreme style and comfort but also to withstand the rigours associated with RV life.

Developed and tested for water tightness, colour fastness, bleach tolerance and other substances, the material is 'easy clean' which can be felt when you run your hand over the fabric.




|                                    | Crusader                   | Hurricane                  | Solano                     | Shamal                    | Aurora                    | Mistral                   | Borealis                  | Zephyr                     | Tempest                    |
|------------------------------------|----------------------------|----------------------------|----------------------------|---------------------------|---------------------------|---------------------------|---------------------------|----------------------------|----------------------------|
|                                    |                            |                            |                            |                           |                           |                           |                           |                            |                            |
| Berths                             |                            |                            |                            |                           |                           |                           |                           |                            |                            |
| Axles                              | <br>Single Axle            | <br>Single Axle            | <br>Single Axle            | <br>Single Axle           | <br>Single Axle           | <br>Single Axle           | <br>Twin Axle             | <br>Twin Axle              | <br>Twin Axle              |
| <b>Weights &amp; Dimensions</b>    |                            |                            |                            |                           |                           |                           |                           |                            |                            |
| Exterior body length               | 5.58m / 18'4"              | 6.35m / 20'10"             | 6.15m / 20'2"              | 6.27m / 20'7"             | 6.27m / 20'7"             | 6.27m / 20'7"             | 6.96m / 22'10"            | 6.96m / 22'10"             | 6.96m / 22'10"             |
| Shipping length                    | 6.69m / 22'0"              | 7.47m / 24'6"              | 7.29m / 23'11"             | 7.49m / 24'7"             | 7.49m / 24'7"             | 7.49m / 24'7"             | 8.18m / 26'10"            | 8.18m / 26'10"             | 8.18m / 26'10"             |
| Interior length                    | 5.00m / 16'5"              | 5.77m / 19'0"              | 5.59m / 18'4"              | 5.70m / 18'8"             | 5.70m / 18'8"             | 5.70m / 18'8"             | 6.39m / 21'0"             | 6.39m / 21'0"              | 6.39m / 21'0"              |
| Overall width                      | 2.23m / 7'4"               | 2.23m / 7'4"               | 2.23m / 7'4"               | 2.45m / 8'0"               | 2.45m / 8'0"               |
| Interior width                     | 2.11m / 6'11"              | 2.11m / 6'11"              | 2.11m / 6'11"              | 2.30m / 7'7"               | 2.30m / 7'7"               |
| Overall height                     | 2.67m / 8'9"               | 2.68m / 8'10"              | 2.68m / 8'10"              | 2.67m / 8'9"              | 2.67m / 8'9"              | 2.67m / 8'9"              | 2.63m / 8'8"              | 2.63m / 8'8"               | 2.63m / 8'8"               |
| Overall height excluding TV aerial | 2.60m / 8'7"               | 2.62m / 8'7"               | 2.61m / 8'7"               | 2.57m / 8'5"              | 2.57m / 8'5"              | 2.57m / 8'5"              | 2.56m / 8'5"              | 2.56m / 8'5"               | 2.56m / 8'5"               |
| Maximum headroom                   | 1.97m / 6'6"               | 1.97m / 6'6"               | 1.97m / 6'6"               | 1.97m / 6'6"              | 1.97m / 6'6"              | 1.97m / 6'6"              | 1.97m / 6'6"              | 1.97m / 6'6"               | 1.97m / 6'6"               |
| Porch awning height                | 2.47m / 8'1"               | 2.47m / 8'1"               | 2.47m / 8'1"               | 2.47m / 8'1"              | 2.47m / 8'1"              | 2.47m / 8'1"              | 2.42m / 7'11"             | 2.42m / 7'11"              | 2.42m / 7'11"              |
| Awning sizes ground to ground      | 9.58m / 31'5"              | 10.35m / 33'11"            | 10.10m / 33'2"             | 10.35m / 33'11"           | 10.35m / 33'11"           | 10.35m / 33'9"11"         | 10.90m / 35'9"            | 10.90m / 35'9"             | 10.90m / 35'9"             |
| Plated M.T.P.L.M                   | 1400KG                     | 1525KG                     | 1540KG                     | 1660KG                    | 1660KG                    | 1660KG                    | 1840KG                    | 1910KG                     | 1865KG                     |
| Maximum M.T.P.L.M                  | 1500KG                     | 1550KG                     | 1550KG                     | 1700KG                    | 1700KG                    | 1700KG                    | 2000KG                    | 2000KG                     | 2000KG                     |
| Maximum Hitch Weight               | 100KG                      | 100KG                      | 100KG                      | 120KG                     | 120KG                     | 120KG                     | 150KG                     | 150KG                      | 150KG                      |
| Mass in Running Order (MIRO)       | 1255KG                     | 1351KG                     | 1367KG                     | 1507KG                    | 1507KG                    | 1507KG                    | 1681KG                    | 1731KG                     | 1706KG                     |
| Optional Equipment Payload         | 100KG                      | 25KG                       | 10KG                       | 17KG                      | 17KG                      | 17KG                      | 135KG                     | 64KG                       | 109KG                      |
| Maximum User Payload               | 126KG                      | 154KG                      | 152KG                      | 153KG                     | 153KG                     | 153KG                     | 159KG                     | 179KG                      | 159KG                      |
| <b>Wheels &amp; Tyres</b>          |                            |                            |                            |                           |                           |                           |                           |                            |                            |
| Wheel Rim                          | 5½Jx14 5x112               | 5½Jx14 5x112               | 5½Jx14 5x112               | 6Jx15 5x112               | 6Jx15 5x112               | 6Jx15 5x112               | 5½Jx14 5x112              | 5½Jx14 5x112               | 5½Jx14 5x112               |
| Tyre Size                          | 185 R14 104                | 185 R14 104                | 185 R14 104                | 195/70 R15 C              | 195/70 R15 C              | 195/70 R15 C              | 175/65 R14 90             | 175/65 R14 90              | 175/65 R14 90              |
| <b>Bed Sizes</b>                   |                            |                            |                            |                           |                           |                           |                           |                            |                            |
| Front double                       | 1.99m x 1.44m 6'6" x 4'8"  | 1.99m x 1.12m 6'16" x 3'8" | 1.99m x 1.12m 6'16" x 3'8" | 2.03m x 1.13m 6'8" x 3'8" | 2.03m x 1.13m 6'8" x 3'8" | 2.03m x 1.13m 6'8" x 3'8" | 1.95m x 1.38m 6'5" x 4'6" | 2.12m x 1.43m 6'11" x 4'8" | 2.12m x 1.43m 6'11" x 4'8" |
| Front 2 singles                    | 1.81m x 6.75m 5'11" x 2'2" | -                          | -                          | -                         | -                         | -                         | -                         | 1.80m x 0.72m 5'11" x 2'4" | 1.80m x 0.72m 5'11" x 2'4" |
| Side dinette single                | -                          | -                          | -                          | -                         | -                         | -                         | -                         | -                          | -                          |
| Drop down bunk                     | -                          | -                          | -                          | -                         | -                         | -                         | -                         | -                          | -                          |
| Rear double                        | -                          | 1.90m x 1.34m 6'3" x 4'5"  | -                          | 1.90m x 1.34m 6'3" x 4'5"  | 1.88m x 1.24m 6'2" x 4'1"  |
| 2 Single bunks                     | -                          | -                          | -                          | -                         | -                         | -                         | -                         | -                          | 1.90m x 0.61m 6'3" x 2'0"  |
| 2 Rear Single                      | -                          | -                          | 1.85m x 0.70m 6'1" x 2'4"  | -                         | -                         | -                         | -                         | -                          | -                          |

**Crusader**  
HURRICANE



Single-Axle  
2 Berth  
6.69m / 22'0"  
2.23m / 7'4"

**Crusader**  
SOLANO



Single-Axle  
4 Berth  
7.47m / 24'6"  
2.23m / 7'4"

**Crusader**  
SHAMAL



Single-Axle  
4 Berth  
7.29m / 23'11"  
2.23m / 7'4"

**Crusader**  
AURORA



Single-Axle  
4 Berth  
7.49m / 24'7"  
2.43m / 8'0"

**Crusader**  
MISTRAL



Single-Axle  
4 Berth  
7.49m / 24'7"  
2.43m / 8'0"

**Crusader**  
BOREALIS



Twin-Axle  
4 Berth  
8.18m / 26'10"  
2.43m / 8'0"

**Crusader**  
ZEPHYR



Twin-Axle  
4 Berth  
8.18m / 26'10"  
2.43m / 8'0"

**Crusader**  
TEMPEST



Twin-Axle  
6 Berth  
8.18m / 26'10"  
2.43m / 8'0"

8FT - WIDE





# Going further together



Going further  
for our  
Customers

Going further  
for our  
Dealers

Going further  
through  
innovation  
and quality

Going further  
together  
with EHG  
and THOR  
Industries



[elddis.co.uk](https://elddis.co.uk) >

- Prices • Options
- Detailed Specification
- Find My Retailer • Get The Best Deal



# OUR SUPPLIERS



Every one of our leisure vehicles proudly carries the NCC approved badge of quality. Eddis, Xplore and Buccaneer are trademarks of Erwin Hymer Group UK Ltd. Company Registration No. 02433663 England & Wales

This brochure does not constitute an offer by Erwin Hymer Group UK Ltd. Erwin Hymer Group UK Ltd reserves the right to, and does alter from time to time, technical specifications, prices and model ranges as materials, model improvements and conditions require, and can accept no responsibility for discrepancies between these and subsequent models shown. This brochure is for guidance purposes only. Please be sure to check our full current and technical specifications with your retailer before placing your order. Please note that Approved Retailers are not the agents of Erwin Hymer Group UK Ltd. Accordingly they have no authority to bind Erwin Hymer Group UK Ltd or to make any representation or undertaking whatsoever on behalf of Erwin Hymer Group UK Ltd. Props shown in this brochure are for photographic purposes only and are not included in the specification. Bed covers and additional scatter cushions shown are for demonstration purposes only, similar co-ordinating sets are available to purchase from your Erwin Hymer Group UK Ltd retailer. Eddis, Xplore and Buccaneer products are covered against water ingress damage for 10 years from the original date of purchase of a new product. This applies to water ingress through any permanently sealed seam joints. If you purchase this vehicle as a used vehicle it may be possible to transfer the unexpired term of the warranty cover (up to a maximum of six years commencing at the original date of purchase from new). Full Terms and Conditions, including service intervals and exclusions can be found on the Eddis website [www.eddis.co.uk](http://www.eddis.co.uk) or by telephoning Erwin Hymer Group UK Ltd Customer Care Team.

FIND OUT MORE



For more information, please scan the QR code.

## SOCIAL MEDIA

@EddisBuccaneer

@eddis\_\_buccaneer\_\_

@Eddis-Buccaneer-Xplore

[www.eddis.co.uk](http://www.eddis.co.uk)



The Eddis, Xplore and Buccaneer brands are proudly part of the European wide Erwin Hymer Group. Headquartered in Bad Waldsee in Germany, the company has over 30 sites and 20 different leisure vehicle brands.

[www.erwinhymergroup.com](http://www.erwinhymergroup.com)



2026 Touring Caravan Range